

CONTEMPORARY
GAS FIREPLACES



www.regency-fire.com



CONTEMPORARY
GAS FIREPLACES

why choose Regency?

Fire Transformed to Art

My vision was to elevate the role of a fireplace beyond the heating function to a highly stylized art form for today's trend toward modern homes. I focused on clean lines crafted from unique materials and finishes. These elegant frames wrap artfully around a fire that dances evocatively from a firebed blanketed in vibrant crystals or a seamless river of pebbles. Prepare to impress.

Regency Quality ... Beauty that Heats

For over 30 years Regency has carefully researched trends to develop fireplaces that fit your needs. A perfect combination of function and beauty; each Regency is a high efficiency heater with a beautiful view. Cut your heating bills by turning your furnace way down in most of your rooms and enjoy high efficiency, controllable heat in the living areas you spend time in. And, all Regency products operate during power outages.


Lifetime Warranty

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each and every Regency, that I offer a Limited Lifetime Warranty. We know that you will be as proud of your Regency Contemporary Collection Fireplace as we are – I guarantee it.



Robert Little
Founder & CEO





index

Contemporary Gas Fireplace Collection

| | |
|-------------------------|----|
| Regency Horizon HZ54E | 4 |
| Regency Horizon HZ40E | 6 |
| Regency Horizon HZ30E | 8 |
| Regency Horizon HZ42STE | 10 |
| Regency Horizon HZ965E | 12 |
| Regency Horizon HZ33CE | 14 |
| Design Choices | 16 |
| Specifications | 20 |



Regency Horizon® HZ54E

Large Contemporary Gas Fireplace



Regency Horizon HZ54E shown with stainless steel faceplate, black enamel reflective panels and black crystals.

Wide View, Dramatic Flames

The Regency Horizon® HZ54E offers a wide angle view of a unique and dramatic flame, perfect for contemporary homes and open concept living spaces. Inner reflective panels amplify the appearance of the stunning fire. Contemporary styling is paired with practical function, delivering consistent, controllable heat - even during power outages.

 See it burn
regency-fire.com





Regency Horizon HZ54E shown with Verona glass surround in pure black, black enamel reflective panels, black crystals and driftwood log set.



Regency Horizon HZ54E shown with black faceplate, black panels, copper crystals and volcanic stones.



| Specifications | NG | LP |
|--------------------------------|--------|--------|
| Input (BTU) | 41,500 | 37,000 |
| Turn down to (BTU) | 29,000 | 30,000 |
| EnerGuide Rating (Canada only) | 64.87% | 68.31% |
| Efficiency (steady state) | 70% | 75% |

| Dimensions | | |
|-----------------|--------|-----------|
| View area | | 615 sq.in |
| Metal Faceplate | Width | 56-11/16" |
| | Height | 25-1/8" |

For additional surround dimensions see page 23.
For detailed specifications please see pages 20-23.

Standard Features

- Natural gas or propane
- 39" burner covered with crystals (glass crystals purchased separately)
- Wall mounted on/off switch
- Electronic ignition with SureFire™ switch
- Direct vent
- Limited lifetime warranty

Optional Features

- Contemporary door frame & faceplate in black or brushed stainless steel
- Verona glass surrounds in two colors
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Natural river pebbles
- Driftwood log set
- Proflame GT, GTM, GTMF remote controls
- Wall thermostat
- AstroCap® venting
- Variable speed blower
- HeatWave™ power duct kit & HeatRelease™ kit

Regency Horizon® HZ40E

Medium Contemporary Gas Fireplace



Regency Horizon HZ40E shown with Verona glass surround in chocolate brown, black crystals and driftwood log set.

Dramatic Flame with Perfect Heat

Feature a stunning firescape in your space with the Regency Horizon HZ40E, a mid-sized contemporary gas fireplace offering a dramatic flame and ample heat. Rev up the atmosphere with glass crystals in a choice of colors, or create a tranquil escape using spa stones or driftwood logs. Transform any room into an experience with the Regency Horizon HZ40E.





Regency Horizon HZ40E shown with black inner door frame and copper crystals.



HZ40E shown with black inner door frame, volcanic rocks and black enamel inner panels.



HZ40E shown with 4 piece stainless steel faceplate, black crystals and black enamel inner panels.



| Specifications | NG | LP |
|--------------------------------|--------|--------|
| Input (BTU) | 26,000 | 25,500 |
| Turn down to (BTU) | 18,000 | 21,000 |
| EnerGuide Rating (Canada only) | 65.19% | 66.70% |
| Efficiency (steady state) | 70% | 71% |

| Dimensions | | |
|----------------------------|--------|------------|
| View area | | 464 sq.in. |
| Clean finish (inner frame) | Width | 38-1/4" |
| | Height | 16-7/8" |
| Metal 4 pc. Faceplate | Width | 48-3/4" |
| | Height | 23-5/8" |

For additional surround dimensions see page 23.
For detailed specifications please see pages 20-23.

Standard Features

- Natural gas or propane
- 30" burner covered with crystals (glass crystals purchased separately)
- Electronic ignition with SureFire™ switch
- Wall mounted on/off switch
- Direct vent
- Limited lifetime warranty

Optional Features

- Available without faceplate for clean edge install
- Contemporary faceplate in black or brushed stainless steel (in 2 styles)
- Verona glass surrounds in two colors
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Natural river pebbles
- Driftwood log set
- Proflame GT, GTM, GTMF remote controls
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- HeatWave™ power duct kit and HeatRelease™ kit
- Mesh glass guard

Regency Horizon® HZ30E

Small Contemporary Gas Fireplace



Regency Horizon HZ30E shown with black inner door frame, black enamel inner panels and copper crystals (clean edge install).

Frameless Style

The smaller profile of the Regency Horizon HZ30E features a wide view design set in a seamless frame. With minimal impact on floor space, the HZ30E offers modern styling with options that can be easily integrated into any room, providing great looks with just the right amount of warmth and comfort.

 See it burn
regency-fire.com





Regency Horizon HZ30E shown with Verona glass surround in pure black, black enamel reflective panels, black crystals and volcanic stones.



HZ30E shown with black inner & outer frame, black enamel inner panels, black crystals and driftwood log set.



HZ30E shown with 4 piece stainless steel faceplate, black enamel inner panels and copper crystals.



| Specifications | NG | LP |
|--------------------------------|--------|--------|
| Input (BTU) | 14,000 | 13,000 |
| Turn down to (BTU) | -- | -- |
| EnerGuide Rating (Canada only) | 69.69% | 69.72% |
| Efficiency (steady state) | 70% | 70% |

| Dimensions | | |
|----------------------------|--------|-------------|
| View area | | 251 sq. in. |
| Clean finish (inner frame) | Width | 27-5/8" |
| | Height | 14-1/16" |
| Metal 4 pc. Faceplate | Width | 33-1/4" |
| | Height | 19-1/2" |

For additional surround dimensions see page 23.
For detailed specifications please see pages 20-23.

Standard Features

- Natural gas or propane
- 20" burner covered with crystals (glass crystals purchased separately)
- Electronic ignition with SureFire™ switch
- Wall mounted on/off switch
- Direct vent
- Limited lifetime warranty

Optional Features

- Available without faceplate for clean edge install
- Contemporary faceplate in black or brushed stainless steel (in 2 styles)
- Verona glass surrounds in two colors
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Natural river pebbles
- Driftwood log set
- Proflame GT, GTMF remote controls
- Wall thermostat
- Variable speed blower
- AstroCap® venting system

Regency Horizon® HZ42STE

Contemporary See-Through Gas Fireplace



Regency Horizon HZ42STE shown with stainless steel faceplate and black crystals.

Two Rooms, One Fire

Create two fire views from separate rooms with the Regency Horizon™ HZ42STE see-through gas fireplace. This dual-sided fireplace offers a cost-effective way to divide a space while maintaining an open feel. Different wall finishes create an even more dramatic experience, delivering the ultimate two-fireplace look.

 See it burn
regency-fire.com





Regency Horizon HZ42STE shown with black faceplate, reflective panels, crystals and driftwood logs.



| Specifications | NG | LP |
|--------------------------------|--------|--------|
| Input (BTU) | 26,000 | 24,500 |
| Turn down to (BTU) | 17,500 | 19,500 |
| EnerGuide Rating (Canada only) | 66.96% | 68.71% |
| Efficiency (steady state) | 70% | 72% |

| Dimensions | | |
|-----------------|--------|------------|
| Metal Faceplate | Width | 48-3/4" |
| | Height | 23-5/8" |
| View area | | 928 sq.in. |

For additional surround dimensions see page 23.
For detailed specifications please see pages 20-23.

Standard Features

- See through fireplace
- Natural gas or propane
- 30" burner covered with crystals (glass crystals purchased separately)
- Wall mounted on/off switch
- Electronic ignition with SureFire™ switch
- Direct vent
- Limited lifetime warranty

Optional Features

- Contemporary faceplate in black or brushed stainless steel
- Verona glass surrounds in two colors
- Black enamel inner reflective panels
- Natural river pebbles
- Ceramic spa stones
- Crystals in various colors
- Driftwood log set
- Proflame GT or GTM remote control
- Wall thermostat
- AstroCap® Venting

Regency Horizon® HZ965E

Large Contemporary Gas Fireplace



HZ965E shown with enamel reflective panels and black crystals (clean edge install).

Bold Flames, Big Style

Create a glowing centerpiece in your home with the Regency Horizon HZ965E gas fireplace. Styled for contemporary environments, this large fireplace features an inset design that allows finish materials to be installed to the edges for a clean design aesthetic. With one of the largest viewing areas in the Regency collection, the HZ965E offers an impressive view of the flames through heat radiating ceramic glass. A wide range of accessories and finish options make this fireplace an excellent choice for larger modern living spaces.





HZ965E with black enamel reflective panels and copper crystals (clean edge install).



| Specifications | NG | LP |
|--------------------------------|--------|--------|
| Input (BTU) | 48,000 | 48,000 |
| Turn down to (BTU) | 16,000 | 17,000 |
| EnerGuide Rating (Canada only) | 63.11% | 63.46% |
| Efficiency (steady state) | 79% | 79% |

| Dimensions | HZ965E | |
|--------------|------------|-----------|
| View area | 965 sq.in. | |
| Clean finish | Width | 36-13/16" |
| | Height | 33-1/4" |

For detailed specifications please see pages 20-23.

Standard Features

- Natural gas
- Clean face front with ceramic glass
- Linear firebed covered with glass crystals (glass crystals purchased separately)
- Split flow burner to allow for variable heat control
- Black enamel inner reflective panels
- Electronic ignition with SureFire™ switch
- Proflame GTMFS remote control
- Wall mounted on/off switch
- Direct vent
- 45° flue for versatile installations
- Limited lifetime warranty

Optional Features

- Crystals in various colors
- Volcanic stones or ceramic spa stones
- Black full screen door
- Mesh glass guard
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- Heat distribution kit
- Power vent Kit
- AstroCap® venting system

Regency Horizon® HZ33CE

Medium Contemporary Gas Fireplace



HZ33CE shown with enamel reflective panels and copper glass crystals (clean edge install).

Combining Fire & Art

Creating the right look for your space has never been easier with the Regency Horizon HZ33CE gas fireplace. This medium-sized fireplace offers a wide range of finishing options to suit any décor. Choose from a frameless clean face look to one of Regency's contemporary surrounds. Finish the firebed with glass crystals in a choice of colors, then add ceramic spa stones, volcanic stones or driftwood logs to achieve the look you want.





HZ33CE shown with Verona 33 surround in stainless steel, black enamel reflective panels, black crystals and volcanic stones.



HZ33CE shown with Verona Glass surround in black, black enamel reflective panels, black crystals and volcanic stones.



HZ33CE shown with black enamel reflective panels, black glass crystals and driftwood log set (clean edge install).



HZ33CE with black enamel reflective panels, black crystals, volcanic stones and Pacific Wave surround.

| Specifications (NG)* | NG | LP |
|--------------------------------|--------|--------|
| Input (BTU) | 17,000 | 15,500 |
| Turn down to (BTU) | 10,000 | 12,000 |
| EnerGuide Rating (Canada only) | 65.71% | 65.60% |
| Efficiency (steady state) | 69% | 69% |

| Dimensions | | HZ33CE |
|--------------|--------|------------|
| View area | | 416 sq.in. |
| Clean finish | Width | 29-7/16" |
| | Height | 21-3/8" |

For additional surround dimensions see page 23.
For detailed specifications please see pages 20-23.

Standard Features

- Natural gas
- Clean face front with ceramic glass
- Linear firebed
- Electronic ignition with SureFire™ switch (glass crystals purchased separately)
- Wall mounted on/off switch
- Direct vent
- 45° flue for versatile installations
- Limited lifetime warranty

Optional Features

- Various surrounds (see pg. 16)
- Black enamel inner reflective panels
- Crystals in various colors
- Volcanic stones or ceramic spa stones
- Mesh glass guard
- Proflame GT or GTM remote control
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- AstroCap® venting system

Integrated Fireplace Solutions



Clean face design options



HZ30E



HZ40E



HZ33CE



HZ965E

Metal Surrounds



Inner and outer frame
HZ30E/HZ40E/HZ54E




4 piece surround
HZ30E/HZ40E/HZ42STE



Verona 33 surround
HZ33CE

Glass Surrounds



Verona Glass Surround
HZ54E



Verona Glass Surround
HZ30E/HZ40E/HZ42STE



Verona Glass Surround
HZ33CE

Pacific Wave Surround




Pacific Wave Surround
HZ33CE

Firebed Options


Crystals



Black Reflective



Copper



Starfire

Stones & Logs



Volcanic Stones - Gray



Volcanic Stones - Tan



Ceramic Spa Stones



Driftwood Ceramic Log Set



Natural River Pebbles

Accent Pebbles

Inner Panels



Black Enamel Panels

Finishing Options

Metal Surrounds



Black



Stainless Steel

Glass Surrounds



Pure Black



Chocolate Brown

Pacific Wave Surround



Black

design choices - at a glance

| | | | HZ54E | HZ40E | HZ30E | HZ42STE | HZ965E | HZ33CE |
|----------------------------|--|---------------------------|-------|-------|----------------|----------------|--------|--------|
| Clean face design option | | | - | ✓ | ✓ | - | ✓ | ✓ |
| Metallic Surrounds | Faceplates & Verona Surrounds | Black | ★ | ★ | ★ | ★ | - | ★ |
| | | Brushed stainless steel | ★ | ★ | ★ | ★ | - | ★ |
| Glass Surrounds | Verona Glass Surrounds | Pure Black | ★ | ★ | ★ | ★ | - | ★ |
| | | Chocolate Brown | ★ | ★ | ★ | ★ | - | ★ |
| Pacific Wave | | Black | - | - | - | - | - | ★ |
| Full screen doors | | Black | - | - | - | - | ★ | - |
| Removable mesh glass guard | | | - | ★ | - | - | ★ | ★ |
| Interior options | Regency Horizon firebed | Crystals - various colors | ★ | ★ | ★ | ★ | ★ | ★ |
| | | Ceramic spa stones | ★ | ★ | ★ | ★ | ★ | ★ |
| | | Volcanic stones | ★ | ★ | ★ | ★ | ★ | ★ |
| | Driftwood ceramic logs | | ★ | ★ | ★ | ★ | - | ★ |
| | Accent pebbles (for firebox floor) | Natural river pebbles | ★ | ★ | ★ | ★ | ★ | ★ |
| | Inner panels | Black enamel | ★ | ★ | ★ | ★ | ✓ | ★ |
| Black panels (painted) | | ✓ | ✓ | ✓ | ✓ | - | ✓ | |
| Controls | Remote controls | Proflame GT | ★ | ★ | ★ | ★ | - | ★ |
| | | Proflame GTM | ★ | ★ | - | ★ | - | ★ |
| | | Proflame GTMF | ★ | ★ | ★ ¹ | ★ ² | - | ★ |
| | | Proflame GTMFS | - | - | - | - | ✓ | - |
| Wall mounted On/Off switch | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Variable speed blower | | | ★ | ★ | ★ | - | - | ★ |
| Venting | Direct Vent | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | AstroCap® Venting System | | ★ | ★ | ★ | ★ | ★ | ★ |
| | HeatWave power duct kit or Heat distribution kit | | ★ | ★ | - | - | ★ | - |
| | HeatRelease kit | | ★ | ★ | - | - | ★ | - |
| LP conversion kit | | | - | - | - | - | ★ | ★ |

- Not available
- ✓ Standard
- ★ Optional

1 - fan control only, no flame height adjustment
 2 - accent light on/off

Regency Remote and Thermostat Comfort Control

Create optimal comfort with ease and convenience at the touch of a button with a Regency Comfort Control System. Our user friendly programmable controls can be set, adjusted and programmed for your fireplace to come on at the temperature you want when you want it. Regency control systems are available with a variety of features to suit your household home heating needs.



Proflame Remote Control



Thermostat

| Feature | Description | Proflame Remotes | | | | Programmable Thermostat |
|---------------------------|-----------------------------------|------------------|-----|------|-------|-------------------------|
| | | GT | GTM | GTMF | GTMFS | |
| On/Off | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Child lock | | ✓ | ✓ | ✓ | ✓ | - |
| LCD Backlit Screen | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Clock | | - | - | - | ✓ | ✓ |
| Temperature display | °F / °C | ✓ | ✓ | ✓ | ✓ | ✓ |
| Thermostat | one setting (all days) | ✓ | ✓ | ✓ | ✓ | ✓ |
| | 5-day day weekday & 2-day weekend | - | - | - | - | ✓ |
| Smart thermostat* | | - | ✓ | ✓ | ✓ | - |
| Flame adjustment | (6 levels) | - | ✓ | ✓ | ✓ | - |
| Split flow burner control | (back burner on/off) | - | - | - | ✓ | - |
| Fan control** | (6 levels) | - | - | ✓ | - | - |
| Accent light (On/Off)*** | | - | - | ✓ | - | - |

* Smart Thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature and as the room reaches your personal setting, the flame intensity and heat will gradually decrease – keeping the ambiance of your Regency fire on with less heat output and the option to turn off at any time.

** For models that have a blower.

*** For models that have an optional accent light.

Maximizing Comfort and Efficiency

Regency Fireplaces deliver controllable heat solutions combining the latest in radiant/convection heat technology and innovative features.


- ☑ Adjustable flame/heat control
- ☑ Heat radiating ceramic glass for maximum radiant heat performance
- ☑ **SureFire Electronic Ignition** switch with battery backup features fuel saving intermittent pilot ignition, conserving energy when not in use.
- ☑ **Power's Out, Heat's On.** Never worry about being cold in a power outage again! All Regency gas fireplaces operate without electricity. Enjoy peace of mind all winter long.

Direct Vent Technology

You can enjoy the convenience of a gas fireplace anywhere in your home with a Regency Direct Vent Fireplace. Regency Direct Vent Fireplaces maintain indoor air quality by drawing fresh combustion air from outside through our specialized venting system into a sealed firebox and sending the used air back outdoors.

Design Versatility

Direct Vent technology allows you to add a fireplace to rooms even if there is no existing chimney. Simply vent your fireplace through an outside wall and finish it with the Regency Patented **AstroCap® Flex Venting System**.




AstroCap (painted to match home)

specifications

| Specifications | HZ54E | | HZ40E | | HZ30E | | HZ42STE | | HZ965E | | HZ33CE | |
|--------------------------------|--------|--------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|
| | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP |
| Input (BTU) | 41,500 | 37,000 | 26,000 | 25,500 | 14,000 | 13,000 | 26,000 | 24,500 | 48,000 | 48,000 | 17,000 | 15,500 |
| Turn down to (BTU) | 29,000 | 30,000 | 18,000 | 21,000 | -- | -- | 17,500 | 19,500 | 16,000 | 17,000 | 10,000 | 12,000 |
| EnerGuide Rating (Canada only) | 64.87% | 68.31% | 65.19% | 66.70% | 69.69% | 69.72% | 66.96% | 68.71% | 63.11% | 63.46% | 65.71% | 65.60% |
| Efficiency (steady state) | 70% | 75% | 70% | 71% | 70% | 70% | 70% | 72% | 79% | 79% | 69% | 69% |


Regency Horizon™ HZ54E / HZ42E / HZ40E / HZ30E

HZ54E




| Dimensions | HZ54E | HZ40E | HZ30E |
|------------|----------|-----------|-----------|
| Flue size | 5" x 8" | 4"x6-5/8" | 4"x6-5/8" |
| A | 59" | 49-5/16" | 30-9/16" |
| B | 52-5/8" | 45-5/8" | 28-11/16" |
| C | 31-5/8" | 33-3/16" | 27-1/16" |
| D | 46-3/8" | 42" | 33-5/16" |
| E | 48-1/2" | 38" | 27-5/8" |
| F | 35-1/4" | 31" | 25-11/16" |
| G | 20-1/2" | 18-5/16" | 14-1/2" |
| H | 22-3/8" | 16-7/8" | 14-9/16" |
| I | 5-11/16" | 10" | 6-3/8" |
| J | 1-1/2" | 1-7/16" | 1-1/2" |


HZ30E/HZ40E



HZ30E/HZ40E





Regency Horizon™ HZ42STE




| Dimensions | HZ42STE |
|------------|-----------|
| Flue size | 4"x6-5/8" |
| A | 48-11/16" |
| B | 41-3/16" |
| C | 28-5/8" |
| D | 36-1/2" |
| E | 38" |
| F | 30-13/16" |
| G | 15" |
| H | 15" |
| I | 7-3/4" |
| J | 1-1/2" |

Framing




| Framing | HZ54E | HZ40E | HZ30E |
|-------------------|----------|----------|-----------|
| J | 60" | 49-7/8" | 31-3/16" |
| K | 46-5/8" | 42" | 33-5/16" |
| L horizontal vent | 22" | 19-7/16" | 14-1/4" |
| vertical vent | 22" | 23-7/16" | 19-1/2" |
| M flex | 51" | 43-7/8" | 32-7/8" |
| rigid | 51" | 43-7/8" | 35-1/2" |
| N | 72" | 57-3/8" | 40-7/8" |
| O | 101-7/8" | 81-1/8" | 57-13/16" |


HZ54E




HZ42STE




HZ42STE Framing



HZ40E




HZ30E



| Framing | HZ42STE |
|-------------------|---|
| A | 15" minus two times the finishing material thickness* |
| B | 36-3/4" |
| C horizontal vent | 50" |
| vertical vent | 50" |

* Finish material thickness includes: ceramic tile, slate, etc.

Clearances



| Clearances | HZ54E | HZ40E | HZ30E | HZ42STE |
|------------|---------|-------|---------|---------|
| A* | 20" | 17" | 13-1/4" | 13" |
| B | 4" | 8" | 8" | 8" |
| C | 40-7/8" | 22" | 39" | 22" |
| D** | 13" | 13" | 12" | 13" |
| E | 83" | 84" | 60" | 84" |
| F | 36" | 36" | 36" | 36" |
| G | 28-7/8" | 27" | 21" | 25-3/4" |

* Minimum at 1" deep

** HZ30E - Minimum at 21-1/4" above


HZ42STE - Minimum at 21-1/2" above

HZ54E - Minimum at 30" above


NOTE: All products can be installed in a raised application. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site www.regency-fire.com

specifications

HZ965E





HZ33CE




| Framing | HZ965E | HZ33CE |
|---------|------------------|-----------|
| I | 4" | 0"* |
| J | 44-3/4" | 35" |
| K | 52-5/16" | 31-3/4" |
| L | vertical rise | 24" |
| | horizontal rigid | 24" |
| | horizontal flex | 16" |
| M | rigid | 80" |
| | flex | 36" |
| N | 45-7/16" | 38-15/16" |
| O | 90-15/16" | 55-1/2" |

* when not using surround (might differ when using surrounds)




| Clearances | HZ965E | HZ33CE |
|------------|---------|---------|
| A | 4" | 0" |
| B | 6-1/16" | 9" |
| C | N/A | 30" |
| D | N/A | 84" |
| E | N/A | 36" |
| F | 18-1/2" | 15-3/4" |
| G | 10" | 12" |

Notes:
* For complete instructions please see manual.



Non-Combustible material is required with this unit. Please see manual.





surround dimensions

Wood

Pacific Wave

Available for models:
HZ33CE

 Optional tiling can be applied in this area





Metallic

Glass



4 piece surround (linear)

Available for models:
HZ30E/HZ40E/HZ42STE





Verona (portrait)

Available for models:
HZ33CE





Verona (linear)

Available for models:
HZ30E & HZ40E



Verona (linear)

Available for models:
HZ54E



| Dimensions | | A | B | C | D | E |
|------------|-----------------------|-----------|---------|-----------|----------|-----------|
| HZ33CE | Cassandra 33 wood | 55-1/2" | 60-1/8" | 29-1/2" | 21-7/16" | 43-15/16" |
| | Verona 33 glass/metal | 42-5/16" | -- | 29-1/2" | 21-1/2" | 36-23/32" |
| HZ30E | Verona 30 glass | 33" | -- | 25" | 10-1/2" | 18-1/2" |
| | 4 piece surround | 33-1/4" | -- | 25" | 10-1/2" | 19-1/2" |
| | Inner and outer frame | 32-3/8" | -- | 28-3/16" | 10-1/8" | 18-1/16" |
| HZ40E | Verona 40 glass | 44" | -- | 36" | 12-7/8" | 20-7/8" |
| | 4 piece surround | 48-3/4" | -- | 36" | 12-7/8" | 23-5/8" |
| | Inner and outer frame | 43-1/16" | -- | 38-1/4" | 15-1/4" | 20-9/16" |
| HZ54E | Verona 54 glass | 58-11/16" | -- | 50-11/16" | 19-1/8" | 27-1/8" |
| | Inner and outer frame | 56-11/16" | -- | 49-3/16" | 17-5/8" | 25-1/8" |

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information. Manuals can be downloaded from our web site www.regency-fire.com

Fireplace planning made simple

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

www.regency-fire.com

1



CLICK!

Take a photo of your desired room location.

2



DESIGN

Go to www.regency-fire.com and design your perfect fireplace with the Fireplace Design Center.

3



VISUALIZE

Upload your room photo and see how the fireplace will look in your own house. Print your own brochure.

4



VISIT A REGENCY STORE

Show your plan to one of our sales associates for expert advice. Your authorized Regency dealer will advise you on all the technical aspects and install your Regency.

5



NO CHIMNEY? NO PROBLEM!

Direct vent technology means you no longer need an expensive, elaborate chimney. Simply vent your fireplace through an outside wall and finish it with an AstroCap™.

6



ENJOY!

www.regency-fire.com

your regency dealer

